Improving the Process: What could help forensic examiners make better decisions?

Richard W. Vorder Bruegge Senior Physical Scientist Federal Bureau of Investigation **UNCLASSIFIED**

Disclaimer

The views expressed are those of the presenter and do not represent those of the Federal Bureau of Investigation, the United States Department of Justice, nor the United States Government.

Outline

- Biometrics vs. Forensics and Expert Evidence
- Process Used by Forensic Examiners Today
- What kind of R&D can help with this process?
 - How to fuse?
 - Instructions for Enrollment
 - Research (ID by parts; covariates Feature Variability)
 - Tools for the Examiner (heat map; pose, expression, aging)

UNCLASSIFIED

Biometrics "versus" Forensics



Biometrics

- A measurable biological (anatomical and physiological) or behavioral characteristic used for identification
 - Facial Recognition (FR) the automated searching
 of a facial image in a
 computer database,
 typically resulting in a
 group of facial images
 ranked by computerevaluated similarity



Forensics



- Visible physical characteristics one can use for the purposes of measurements or comparisons that are collected after an event
 - Facial Identification (FI) the manual examination of the differences and similarities between two facial images for the purpose of determining if they represent different persons or the same person

SCIEN

hersburg

Biometrics "versus" Forensics

- Biometric tools can be used to assist in forensic exams, with latest research indicating fusion with examiners may improve results.
 - Phillips, et al., PNAS 2018 "Face recognition accuracy of forensic examiners, superrecognizers, and algorithms"
- Cannot use FR algorithms as a "Red Light / Green Light" system
- How do we fuse? (Simple averaging?)

UNCLASSIFIED

Sidebar - Enrollment Guidance?

- Law Enforcement and other users of FR systems need guidance on enrollment processes.
 - ANSI/NIST-ITL 1-2011 Update: 2015 Mug Shot Standard "5 Pack"
- Advanced FR algorithms utilize video (tracks) or multiimage inputs to generate templates for matching.
- WHAT SHOULD WE DO NOW???
 - 18,000+ LE agencies will need to adapt.

Forensic Science - Criticism & Responses

- NRC/NAS Report on Strengthening Forensic Science in the United States (2009)
- PCAST Report (2016)
- · Critical of current state of most disciplines.

Key/Relevant Recommendations include:

- Expand research on the accuracy, reliability, and validity of the forensic sciences; and
- Develop tools for advancing measurement, validation, reliability...and to establish protocols for examinations, methods, and practices.

Forensic Science - Criticism & Responses

- National Commission on Forensic Science (NCFS)
- Organization of Scientific Area Committees for Forensic Science (OSAC)
- NIST Forensic Science Center of Excellence
 - Advance the Utility of *Probabilistic* Methods to Enhance Forensic Analysis
- NIJ Forensic Technology Center of Excellence
- DOJ FSWG (e.g., ULTRs)

Defining the Scope of Forensic Analyses Deterministic versus Probabilistic

- All data is known beforehand.
 - Initial conditions define the final result
 Versus
- Element of Chance is Involved

- AFR (and Facial Identification) Pattern Analysis
 - NOT Biologically Defined?
 - NOT Deterministic...or is it?
 - Face from DNA?

Defining the Scope of Forensic Analyses

What can we say and how do we validate it?

- Patterned Evidence Disciplines Approaches
 - Human Performance Testing ("Black Box", "White Box")
- A path forward Can we improve human/examiner performance?

Improving Patterned Evidence Analyses

- Process of Analyses Use "ACE" model:
 - Analyze Quality and Content of Evidence (Observations)
 - Compare Observations (Similarities and Differences)
 - Evaluate Significance of these (Conclusion)
 - (Shout out to later presentation...)
- Latent Print Study
 - Analysis Phase Served as Predictor of Performance

Improving Patterned Evidence Analyses

Latent Print Study

- Analysis Phase Served as Predictor of Performance
- Develop tools to assess quality of data automatically

Challenge to developers - improve automation

- Latent Print Similarity of Pattern (getting much better lights out latent?)
- Can we find a <u>meaningful</u>, <u>universal</u> metric of "facial similarity" or "feature similarity"?
- CAVEAT Similarity vs. "Identity" (or "Individualization")

Facial Image Analysis

- AFR algorithms determine similarity of patterns
- Similarity above a given threshold = "match"
 - Stochastic determination (no intrinsic model of identity)
- Low-Scoring True-Match Pairs Happen AND
- High Scoring Non-Match Pairs Happen

Facial Image Analysis

- Low-Scoring True-Match Pairs Happen (FR is BRITTLE!)
 - ...and is not designed to exclude ("eliminate")



Facial Image Analysis

- SOTA AFR is not good enough for lights out.
 - Must rely on human decision makers
- Features used in AFR not *deliberately* based on physical manifestation of biology (e.g., nose, eyes)
 - ...but may unintentionally reflect intrinsic differences
 - Reflects performance variation with demographics?

Validating & Improving Facial Image Analysis

- ✓ Validate through Performance Testing ("Black Box")
 - Statistics of Human Performance (PNAS, Phillips et al.)

- Validate/Define Degree to Which Faces are Unique
 - Can't Sample Every Face on Planet
 - Don't Have Deterministic Model of Facial Features (...yet?)
 - ...so what do we do?

Validating & Improving Facial Image Analysis

- Correlate Algorithms' Feature Sets to Biology
 - What features are most useful for discrimination and identification using AFR?
 - Ex: JANUS AFR system that "shows" regions of 'strong' and 'weak' match
 - Focus studies of features to define how "unique" each face is...

Validating & Improving Facial Image Analysis

• Challenge for Face - Features Change

- Features Change How do we address?
 - Currently Examiners consider what is "possible."


- Modeling of Change What is possible for examiner
 - Age and Expression
 - Develop tools that show examiner the range of possible

- Aging
- Examiners
 must
 consider
 what is
 possible...
- There is no fixed "guide".





- Aging
- How much change in these features can we predict and how accurate can we be?



- Nose
- Mouth
- Facial Lines





Aging Research

 Anatomically based models of facial aging being developed.






 Need to be able to provide examiner with "range of possibilities" against which comparisons can be judged.

UNCW/I2SIS Age Progression Models

 Eyes, nose and mouth modified...



Synthesized Face



SCIENCE AND TECHNOLOGY BRANCH

^{*} Left Image from MEDS

Expression

• 3D Modeling of face and 3D Avatars being generated and used extensively.

Why not create same for forensic examiners?

CHALLENGES Expression SCIENCE AND TECHNOLOGY

* Images from MEDS




L ANALYSIS

IFPC 2018 - Gaithersburg

CHALLENGES

Expression



L ANALYSIS


SCIENCE AND TECHNOLOGY

* Images from MEDS

IFPC 2018 - Gaithersburg

- Expression
- Eyes
- Nose
- Mouth





* Images from MEDS

 Anatomical modeling can be used to inform examiners of the range of the possible.

 "Is the observed variation in features between the two images possible within accepted anatomical norms?"

Enrollment Challenge

• 3D Modeling of face and 3D Avatars being generated and used extensively.

Why not create same for forensic examiners?

Summary thoughts & Questions?

Rworderbruegge@fbi.gov

+1-703-985-1192